

A New and Improved Eclipse Parallel Tools Platform

Advancing the Development of Scientific Applications

Jay Alameda, NCSA
alameda@illinois.edu

Jeff Overbey, NCSA
overbey2@illinois.edu



Portions of this material are supported by or based upon work supported by the Defense Advanced Research Projects Agency (DARPA) under its Agreement No. HR0011-07-9-0002, the United States Department of Energy under Contract No. DE-FC02-06ER25752 and the S12-SSI Productive and Accessible Development Workbench for HPC Applications, which is supported by the National Science Foundation under award number OCI 1047956

Based on slides by
Greg Watson, Beth Tibbitts, and others



Tutorial Outline

Time (Tentative)	Module	Topics
8:30-9:00	1. Eclipse & PTP Installation	<ul style="list-style-type: none"> ✦ Installation of Eclipse and PTP (can start early as people arrive)
9:00-9:30	2. Introduction & Overview	<ul style="list-style-type: none"> ✦ Eclipse architecture & organization overview
9:30-10:30	3. Developing with Eclipse	<ul style="list-style-type: none"> ✦ Eclipse basics; Creating a new project from CVS; Local, remote, and synchronized projects ✦ Editing C files; MPI Features; Building w/ Makefile
10:30-10:45	BREAK	
10:45-11:45	3. Developing with Eclipse (continued)	Continue from before the break... <ul style="list-style-type: none"> ✦ Resource Managers and launching a parallel app ✦ Fortran, Refactoring, other Advanced Features
11:45-12:00	4. Wrap-up	<ul style="list-style-type: none"> ✦ NCSA HPC Workbench, Other Tools, website, mailing lists, future features

Module 1: Installation

✦ Objective

- ✦ To learn how to install Eclipse and PTP

✦ Contents

- ✦ System Prerequisites
- ✦ Eclipse Download and Installation of “Eclipse IDE for Parallel Application Developers” – parallel package
- ✦ Installation Confirmation
- ✦ Updating the PTP within your Eclipse to the latest release

About the Tutorial Installation

- ✦ This tutorial assumes you have Eclipse and PTP pre-installed on your laptop
- ✦ If you already have Eclipse installed, go directly to “Starting Eclipse”, slide 5
- ✦ If you don’t have Eclipse installed, you will need to follow the handouts so that you can catch up with the rest of the class
- ✦ Note: up-to-date info on installing PTP and its pre-reqs is available from the release notes:
 - ✦ http://wiki.eclipse.org/PTP/release_notes/5.0
 - ✦ This information may supersede these slides

System Prerequisites

- ✦ Local system (running Eclipse)
 - ✦ Linux (just about any version)
 - ✦ Mac OS X (10.5/Leopard or later)
 - ✦ Windows (XP or later)
- ✦ Java: Eclipse requires Sun or IBM Java
 - ✦ Only need Java runtime environment (JRE)
 - ✦ Java 1.6 or higher
 - ✦ Java 1.6 is the same as Java SE 6.0
 - ✦ The GNU Java Compiler (GCJ), which comes standard on Linux, will not work!
 - ✦ OpenJDK, distributed with some Linux distributions, has not been tested by us but should work.
 - ✦ See <http://wiki.eclipse.org/PTP/installjava>

Eclipse Packages

- ✦ The current version of Eclipse (3.7) is also known as Indigo
- ✦ Eclipse is available in a number of different packages for different kinds of development
 - ✦ <http://eclipse.org/downloads>
- ✦ With Indigo, there is a new package directly relevant for HPC:
 - ✦ Eclipse IDE for Parallel Application Developers
 - ✦ This is recommended for all new installs



Eclipse IDE for Parallel Application Developers (includes Incubating components), 184 MB
Downloaded 39,008 Times Details

“
Package”

- ✦ Can also add PTP to an existing Eclipse installation

Eclipse Installation



- ✦ Download the Eclipse IDE for Parallel Application Developers package
 - ✦ <http://download.eclipse.org>
- ✦ Make sure you match the architecture with that of your laptop
- ✦ If your machine is Linux or Mac OS X, untar the file
 - ✦ On Mac OS X you can just double-click in the Finder
- ✦ If your machine is Windows, unzip the file
- ✦ This creates an _____ folder containing the executable as well as other support files and folders

Starting Eclipse




- ✦ **Linux**
 - ✦ From a terminal window, enter
“<eclipse_installation_path>/eclipse/eclipse &”
- ✦ **Mac OS X**
 - ✦ From finder, open the _____ folder where you installed
 - ✦ Double-click on the _____ application
 - ✦ Or launch from a terminal window instead (like Linux)
- ✦ **Windows**
 - ✦ Open the _____ folder
 - ✦ Double-click on the _____ executable

Specifying A Workspace



- ✦ Eclipse prompts for a workspace location at startup time
- ✦ The workspace contains all user-defined data
 - ✦ Projects and resources such as folders and files
 - ✦ The default workspace location is fine for this tutorial

The prompt can be turned off



Module 1

1-6

Eclipse Welcome Page



- ✦ Displayed when Eclipse is run for the first time
- Select “Go to the workbench”



Module 1


1-7

Check Installation Details



- ✦ To confirm you have installed OK
 - ✦ Mac:
 - ✦ Others:
- ✦ Choose
- ✦ Confirm you have the following installed software

Differs depending on base download



- ✦ Close the dialog:


Checking for PTP Updates

- ✦ From time-to-time there may be newer PTP releases than the Indigo release
 - ✦ Indigo and “Parallel package” updates are released only in Sept and February
- ✦ PTP maintains its own update site with the most recent release
 - ✦ Bug fix releases can be more frequent than Indigo’s and what is within the parallel package
- ✦ You must enable the PTP-specific update site before the updates will be found

Updating PTP




- ✦ Enable PTP-specific update site
 - ✦ **Help>Install New Software...**
 - ✦ Click **Available Software Sites** link
 - ✦ Ensure this checkbox is selected for the PTP site:
<http://download.eclipse.org/tools/ptp/updates/indigo>
 - ✦ Choose **OK**
 - ✦ Choose **Cancel** (to return to Eclipse workbench)
- ✦ Now select **Help>Check for updates**
 - ✦ If you see “No updates were found”...
 - ✦ It’s only because there are no updates in the “Eclipse IDE for Parallel Application Developers”
 - ✦ We will update the PTP within it



Updating PTP (2)



- ✦ We will get the PTP release that is more recent than what is currently (Nov. 2011) within the parallel package
- ✦ Now select **Help>Install New Software...**
 - ✦ In the **Work With:** dropdown box, select the PTP update site you confirmed already:





Updating PTP (3)


✦ Quick and dirty:

- ✦ Check everything - which updates existing features and adds a few more




✦ Detailed:


- ✦ Open each feature and check the ones you want to update
- ✦ Icons indicate: Grey plug: already installed and up to date
Double arrow: can be updated
Color plug: Not installed yet



Note: For this tutorial, install GEM and TAU




Note: if conference network is slow, consider unchecking:



Updating PTP (4)

- ✦ Select **Next** to continue updating PTP
- ✦ Select **Next** to confirm features to install
- ✦ Accept the License agreement and select **Finish**



Wait for installation to finish

- ✦ Select **Restart Now** when prompted




If conference network is too slow, we have this cached on USB

Restart after Install



- ✦ If any top-level features are installed... Welcome page informs you of new features installed
- ✦ We only updated PTP, so we land back at C/C++ Perspective

... Ready to go!



- ✦ **Help>About** or **Eclipse > About Eclipse ...** will indicate the release of PTP installed
- ✦ Further **Help>Check for Updates** will find future updates on the PTP Update site

Module 2: Introduction

- ✦ Objective
 - ✦ To introduce the Eclipse platform and PTP
- ✦ Contents
 - ✦ New and Improved Features
 - ✦ What is Eclipse?
 - ✦ What is PTP?

New and Improved Features


- ✦ More flexible projects
 - ✦ Synchronized projects overcome many problems of remote projects
 - ✦ Allows development when “off-line”
 - ✦ Works with non-C/C++ projects
- ✦ More customizable resource managers
 - ✦ Resource managers can now be added by users
 - ✦ Able to have site-specific configurations
 - ✦ Interactive launch using job schedulers now supported

New and Improved Features (2)

- ✦ Scalable system/job monitoring
 - ✦ New perspective allows monitoring of systems of virtually any size
 - ✦ View shows location of jobs on cluster
 - ✦ Active and inactive jobs views
- ✦ Remote support for performance tools
 - ✦ External Tools Framework has been extended to support remote systems
 - ✦ Performance tools such as TAU can now launch and collect data from remote systems

What is Eclipse?

- ✦ A vendor-neutral open-source workbench for multi-language development
- ✦ A extensible platform for tool integration
- ✦ Plug-in based framework to create, integrate and utilize software tools



Module 2

2-3

Eclipse Features


- ✦ Full development lifecycle support
- ✦ Revision control integration (CVS, SVN, Git)
- ✦ Project dependency management
- ✦ Incremental building
- ✦ Content assistance
- ✦ Context sensitive help
- ✦ Language sensitive searching
- ✦ Multi-language support
- ✦ Debugging

Module 2

2-4

Parallel Tools Platform (PTP)


- ✦ The Parallel Tools Platform aims to provide a highly integrated environment specifically designed for parallel application development
- ✦ Features include:
 - ✦ An integrated development environment (IDE) that supports a wide range of parallel architectures and runtime systems
 - ✦ A scalable parallel debugger
 - ✦ Parallel programming tools (MPI, OpenMP, UPC, etc.)
 - ✦ Support for the integration of parallel tools
 - ✦ An environment that simplifies the end-user interaction with parallel systems
- ✦ <http://www.eclipse.org/ptp>



Module 2

2-5



Eclipse PTP Family of Tools



Module 2

2-6



How Eclipse is Used Editing/Compiling



Module 2

2-7




How Eclipse is Used Launching/Monitoring



Module 2

2-8




How Eclipse is Used Debugging



Module 2

2-9

How Eclipse is Used Performance Tuning



Module 2

2-10

Module 3: Developing with Eclipse

✦ Objective

- ✦ Learn basic Eclipse concepts: Perspectives, Views, ...
- ✦ Learn about local, remote, and synchronized projects
- ✦ Learn how to create and manage a C project
- ✦ Learn about Eclipse editing features
- ✦ Learn about Eclipse Team features
- ✦ Learn about MPI features
- ✦ Learn how to build and launch an MPI program on a remote system
- ✦ Learn about Fortran projects
- ✦ Learn about searching, refactoring, etc.

Contents

- ✦ Basic Eclipse Features (3-2)
- ✦ Projects In Eclipse (3-13)
- ✦ Editor Features (3-24)
- ✦ Team Features (3-34)
- ✦ MPI Features (3-40)
- ✦ Synchronizing the Project (3-56)
- ✦ Building the Project (3-62)
- ✦ Running: Resource Manager Configuration (3-69)
- ✦ Running: Launching a Job (3-82)
- ✦ Advanced Features: Searching (3-90)
- ✦ Fortran Specifics (3-99)
- ✦ Advanced editing: Code Templates (3-108)
- ✦ Refactoring and Transformation (3-113)


Basic Eclipse Features

Module 3

3-2

Eclipse Basics

- ✦ A *workbench* contains the menus, toolbars, editors and views that make up the main Eclipse window
- ✦ The workbench represents the desktop development environment
 - ✦ Contains a set of tools for resource mgmt
 - ✦ Provides a common way of navigating through the resources
- ✦ Multiple workbenches can be opened at the same time
- ✦ Only one workbench can be open on a *workspace* at a time



perspective

3-3

Module 3

Perspectives

- ✦ Perspectives define the layout of views and editors in the workbench
- ✦ They are *task oriented*, i.e. they contain specific views for doing certain tasks:
 - ✦ There is a **Parallel Runtime Perspective** for manipulating resources
 - ✦ **C/C++ Perspective** for manipulating compiled code
 - ✦ **Debug Perspective** for debugging applications
- ✦ You can easily switch between perspectives
- ✦ If you are on the Welcome screen now, select “Go to Workbench” now



Module 3

3-4


Switching Perspectives

- ✦ Three ways of changing perspectives

1. Choose the **Perspective** menu option
Then choose **Other...**

2. Click on the **Open Perspective** button in the upper right corner of screen (hover over it to see names)

3. Click on a perspective shortcut button



- ✦ Switch to the C/C++ Perspective


Module 3

3-5

Which Perspective?



- ✦ Which Perspective am in in?
See Title Bar





Module 3

3-6

Views

- ✦ The workbench window is divided up into Views
- ✦ The main purpose of a view is:
 - ✦ To provide alternative ways of presenting information
 - ✦ For navigation
 - ✦ For editing and modifying information
- ✦ Views can have their own menus and toolbars
 - ✦ Items available in menus and toolbars are available only in that view
 - ✦ Menu actions only apply to the view
- ✦ Views can be resized




Module 3

3-7


Stacked Views

- ✦ Stacked views appear as tabs
- ✦ Selecting a tab brings that view to the foreground



Expand a View


- ✦ Double-click on a view/editor's tab to fill the workbench with its content;
- ✦ Repeat to return to original size




- ✦ Window > Reset Perspective returns everything to original positions

Help

- ✦ To access help
 - ✦ **Help Help Contents**
 - ✦ **Help Search**
 - ✦ **Help>Dynamic Help**
- ✦ **Help Contents** provides detailed help on different Eclipse features
browser
- ✦ **Search** allows you to search for help locally, or using Google or the Eclipse web site
- ✦ **Dynamic Help** shows help related to the current context (perspective, view, etc.)




Eclipse Preferences



- ✦ Eclipse Preferences allow customization of almost everything
- ✦ To open use
 - ✦ Mac:
 - ✦ Others: **Window>Preferences...**
- ✦ The C/C++ preferences allow many options to be altered
- ✦ In this example you can adjust what happens in the editor as you type.

Preferences Example



More C/C++ preferences:


- ✦ In this example the Code Style preferences are shown
- ✦ These allow code to be automatically formatted in different ways

Projects In Eclipse


Project Types

- ✦ Local
 - ✦ Source is located on local machine, builds happen locally
- ✦ Synchronized
 - ✦ Source is local, then synchronized with remote machine(s)
 - ✦ Building and launching happens remotely (can also happen locally)
- ✦ Remote
 - ✦ Source is located on remote machine(s), build and launch takes place on remote machine(s)

Synchronized Projects



Remote Projects



C, C++, and Fortran Projects

Build types

- ✦ Makefile-based
 - ✦ Project contains its own makefile (or makefiles) for building the application
- ✦ Managed
 - ✦ Eclipse manages the build process, no makefile required

Parallel programs can be run on local machine or on a remote system

- ✦ MPI (or other runtime) needs to be installed
- ✦ An application built locally probably can't be run on a remote machine unless their architectures are the same

Checking out the project

Using a Source Code Repository Introduction to Team Features

Module 3



3-18

Importing a Project from CVS



- ✦ Switch to **Exploring** perspective
 - ✦ Window > Open Perspective > Other...
 - ✦ Select **CVS Repository Exploring**
 - ✦ Select **OK**

- ✦ Right click in **CVS Repositories** view and select **New>Repository Location...**




Module 3

3-19

Add CVS Repository



- ✦ Enter **Host:** dev.eclipse.org
- ✦ **Repository path:** /cvsroot/tools
- ➔ ✦ For anonymous access:
 - + **User:**
 - + No password is required
 - + **Connection type:** pserver (default)
- ✦ For authorized access:
 - + **User:** your userid
 - + **Password:** your password
 - + **Connection type:** change to **extssh**
- ✦ Select **Finish**



Module 3


3-20

Checking out the Project



- ✦ Expand the repository location
- ✦ Expand **HEAD**
- ✦ Expand **org.eclipse.ptp, doc, and samples**
- ✦ Right click on **shallow-mixed** and select **Check Out As...**
- ✦ On **Check Out As** dialog, select **Finish**

The default of "Check out as a project configured using the New Project Wizard" is what we want



Module 3


3-21



New Project Wizard

As project is checked out from CVS, the Wizard helps you configure the Eclipse information to be added to the project

- ✦ Expand
- ✦ Select and click on
- ✦ Enter shallow as
- ✦ Under expand - scroll to the bottom
- ✦ Select
- ✦ Select a toolchain that matches your system from **Toolchains**
 - ✦ Since we will build/run this on the remote system, choose an appropriate toolchain
 - ✦ You may need to uncheck "Show project types and toolchains only if they are supported on the platform"
- ✦ Click on **Finish**





For SC tutorial Choose Remote Linux GCC Tool Chain




C/C++ Perspective

- ✦ Switch to the C/C++ Perspective when Prompted
- ✦ You should now see the shallow project in your workspace




Editor Features

Editors

- ✦ An editor for a resource (e.g. a file) opens when you double-click on a resource
- ✦ The type of editor depends on the type of the resource
 - ✦ .c files are opened with the C/C++ editor by default
 - ✦ You can use  to use another editor
 - ✦ In this case the default editor is fine (double-click)
 - ✦ Some editors do not just edit raw text
- ✦ When an editor opens on a resource, it stays open across different perspectives
- ✦ An active editor contains menus and toolbars specific to that editor

Saving File in Editor

- ✦ When you change a file in the editor, an asterisk on the editor's title bar indicates unsaved changes




- ✦ Save the changes by using Command/Ctrl-S or
- ✦ Undo last change using **Command/Ctrl Z**

Editor and Outline View




- ✦ Double-click on source file
- ✦ Editor will open in main view
- ✦ Outline view is shown for file in editor
- ✦ Console shows results of build, local runs, etc.



Source Code Editors & Markers

- ✦ A source code editor is a special type of editor for manipulating source code
- ✦ Language features are highlighted
- ✦ Marker bars for showing
 - ✦ Breakpoints
 - ✦ Errors/warnings
 - ✦ Task Tags, Bookmarks
- ✦ Location bar for navigating to interesting features in the entire file



Icons:  Task tag
 Warning
 Error

Code Analysis (Codan)


- ✦ If you see bug icons in the editor marker bar, they are likely suggestions from Codan
- ✦ Code checkers can flag possible errors, even if code is technically correct
- ✦ To turn them off, use Preferences

Window > Preferences or Mac: Eclipse > Preferences

C/C++ > Code Analysis

and uncheck all problems

- ✦ Select OK to close Preferences
- ✦ To remove icons: Rightmouse on Project > Run C/C++ Code Analysis




Line Numbers

- ✦ Text editors can show line numbers in the left column

- ✦ To turn on line numbering:

- ✦ Right-mouse click in the editor marker bar
- ✦ Click on **Numbers**




Module 3

3-30

Navigating to Other Files



- ✦ On demand hyperlink
 - ✦ In main.c line 135:
 - ✦ Hold down Command/Ctrl key e.g. on call to initialise
 - ✦ Click on initialise to navigate to its definition in the header file (Exact key combination depends on your OS)
 - ✦ E.g. Command/Ctrl and click on initialise
- ✦ Open declaration
 - ✦ Right-click and select **Open Declaration** will also open the file in which the element is declared
 - ✦ E.g. in main.c line 29 right-click on decs.h and select **Open Declaration**



Note: may need to left-click before right-click works

Module 3

3-31



Content Assist & Templates

- ✦ Type an incomplete function name e.g. `get` into the editor, and hit **ctrl-space**
- ✦ Select desired completion value with cursor or mouse

```

13
14 int main(void) {
15     puts("!!!Hello World!!!"); /* prints !!!Hello World!!! */
16     get
17     • getch_unlocked(void) .int
18     • getdelim(char ** __lineptr, * __n, int __delimit
19     • getenv(const char * __name) : char *
20     • getline(char ** __lineptr, * __n, FILE * __stream
21     • getloadavg(double * __loadavg, int __nelem)

```

Press '^Space' to show Template Propos

- ✦ Code Templates: type 'for' and Ctrl-space

Hit ctrl-space again
for code templates

```

17 for
18   for - for loop
19   for - for loop with temporary variable
20 }
21

```

```

for (int var = 0; var < max; ++var) {
}

```

Module 3

More info on code templates later

3-32



Inactive code

- ✦ Inactive code will appear grayed out in the CDT editor

```

260 #define VAL
261 #ifdef VAL
262     acopy_one_to_two(VAL, ds, res.indx);
263 #else
264     acopy_one_to_two(res.row, ds, res.indx);
265 #endif

```

```

260 // #define VAL
261 #ifdef VAL
262     acopy_one_to_two(VAL, ds, res.indx);
263 #else
264     acopy_one_to_two(res.row, ds, res.indx);
265 #endif

```

Module 3

3-33





Team Features

“Team” Features

- ✦ Eclipse supports integration with multiple version control systems (VCS)
 - ✦ CVS, SVN, Git, and others
 - ✦ Collectively known as “Team” services
- ✦ Many features are common across VCS
 - ✦ Compare/merge
 - ✦ History
 - ✦ Check-in/check-out
- ✦ Some differences
 - ✦ Version numbers
 - ✦ Branching

CVS Features

- ✦ Shows version numbers next to each resource
- ✦ Marks resources that have changed
 - ✦ Can also change color (preference option)
- ✦ Context menu for Team operations
- ✦ Compare to latest, another branch, or history
- ✦ Synchronize whole project (or any selected resources)




File Modification

- ✦ Open "calc.c"
- ✦ Add comment at line 40
- ✦ Save file
- ✦ File will be marked to indicate that it has been modified

```

27
28 void calcuvzh(jstart, jend, p, u, v, cu, cv, h, z, fsdx, fsdy)
29 int jstart, jend;
30 float p[n][m];
31 float u[n][m];
32 float v[n][m];
33 float cu[n][m];
34 float cv[n][m];
35 float h[n][m];
36 float z[n][m];
37 float fsdx, fsdy;
38 {
39     int i, j, ip, jp;
40     /*
41      * Added a comment here
42      */
43     for (j=jstart; j<=jend; j++) {
44         jp = (j+1) % m;
45         for (i = 0; i < m; i++) {
46             ip = (i+1) % m;
47             cu[j][ip] = 0.5*(p[j][ip]+p[j][i])*u[j][ip];
48             cv[jp][i] = 0.5*(p[jp][i]+p[j][i])*v[jp][i];
49             z[jp][ip] = (fsdx*(v[jp][ip]-v[jp][i]) - fsdy*(u[jp][ip]
50             -u[j][ip]))/(p[j][i]+p[jp][ip]+p[jp][i]);
51             h[j][i] = p[j][i]+0.25*(u[j][ip]*u[j][ip]+u[j][i]*u[j][i]
52             +v[jp][i]*v[jp][i]+v[j][i]*v[j][i]);
53         }
54     }
55 }


```



View Changes




- ✦ Right-click on calc.c and select **Compare With>Latest from HEAD**
- ✦ Compare editor will open showing differences between local (changed) file and the original
- ✦ Buttons allow changes to be merged from right to left
- ✦ Can also navigate between changes using buttons



Revert To The Latest Version



- ✦ Right-click on the “shallow” project and select **Replace With>Latest from HEAD**
- ✦ Review the resources that will be replaced, then click **OK**



MPI Features


MPI-Specific Features

- ✦ PTP's Parallel Language Development Tools (PLDT) has several features specifically for developing MPI code
 - ✦ Show MPI Artifacts
 - ✦ Code completion
 - ✦ Context Sensitive Help for MPI
 - ✦ Hover Help
 - ✦ MPI Templates in the editor
 - ✦ MPI Barrier Analysis

Show MPI Artifacts



- ✦ In Project Explorer, select a project, folder, or a single source file
 - ✦ The analysis will be run on the selected resources
- ✦ Select **Artifacts**
- ✦ Run the analysis by clicking on drop-down menu next to the analysis button
- ✦ Works on local and remote files




Module 3

3-42

MPI Artifact View



- ✦ Markers indicate the location of artifacts in editor
- ✦ The **MPI Artifact View** lists the type and location of each artifact
- ✦ Navigate to source code line by double-clicking on the artifact
- ✦ Run the analysis on another file (or entire project!) and its markers will be added to the view
- ✦ Click on column headings to sort
- ✦ Remove markers via




Module 3

3-43




MPI Editor Features





- ✦ Code completion will show all the possible MPI keyword completions
- ✦ Enter the start of a keyword then press <ctrl-space>

- ✦ Hover over MPI API
- ✦ Displays the function prototype and a description



Context Sensitive Help

- ✦ Click mouse, then press help key when the cursor is within a function name
 - ✦ Windows: **F1** key
 - ✦ Linux: **ctrl-F1** key
 - ✦ MacOS X: **Help** key or **Help>Dynamic Help**
- ✦ A help view appears (**Related Topics**) which shows additional information (You may need to click on MPI API in editor again, to populate)
- ✦ Click on the function name to see more information
- ✦ Move the help view within your Eclipse workbench, if you like, by dragging its title tab



Some special info has been added for MPI APIs




MPI Templates

✦ Allows quick entry of common patterns in MPI programming

- ✦ Example: MPI send-receive
- ✦ Enter: `mpisr <ctrl-space>`

- ✦ Expands to a send-receive pattern
- ✦ Highlighted variable names can all be changed at once
- ✦ Type `mpi <ctrl-space> <ctrl-space>` to see all templates




```

MPI_Comm_rank(MPI_COMM_WORLD, &rank);
MPI_Comm_size(MPI_COMM_WORLD, &p);
if (rank == 0){ //master task
    printf("Hello From process 0: Num processes: %d\n",p);
    for (source = 1; source < p; source++){
        MPI_Recv(message, 100, MPI_CHAR, source, tag,
                MPI_COMM_WORLD, &status);
        printf("%s\n",message);
    }
}
else{ // worker tasks
    /* create message */
    sprintf(message, "Hello from process %d!", my_rank);
    dest = 0;
    /* use strlen+1 so that '\0' get transmitted */
    MPI_Send(message, strlen(message)+1, MPI_CHAR,
             dest, tag, MPI_COMM_WORLD);
}
    
```

Add more templates using Eclipse preferences!
C/C++>Editor>Templates
 Extend to other common patterns

MPI Barrier Analysis

Local files only



Verify barrier synchronization in C/ MPI programs

Interprocedural static analysis outputs:


- ✦ For verified programs, lists barrier statements that synchronize together (match)
- ✦ For synchronization errors, reports counter example that illustrates and explains the error




MPI Barrier Analysis – Try it

Run the Analysis:

- ✦ In the Project Explorer, select the project (or directory, or file) to analyze




- ✦ Select the MPI Barrier Analysis action in the pull-down menu




MPI Barrier Analysis – Try It (2)

- ✦ No Barrier Errors are found (no pop-up indicating error); Two barriers are found





MPI Barrier Analysis - views



MPI Barriers view

Simply lists the barriers
Like MPI Artifacts view,
double-click to navigate
to source code line (all
3 views)

Barrier Matches view

Groups barriers that
match together in a
barrier set – all
processes must go
through a barrier in the
set to prevent a
deadlock

Barrier Errors view

If there are errors, a
counter-example
shows paths with
mismatched number
of barriers



Barrier Errors

- ✦ Let's cause a barrier mismatch error
- ✦ Open worker.c in the editor by double-clicking on it in Project Explorer
- ✦ At about line 125, enter a barrier:
 - ✦ Type MPI_B
 - ✦ Hit Ctl-space
 - ✦ Select MPI_Barrier
 - ✦ Add communicator arg MPI_COMM_WORLD and closing semicolon

```

120  prv = worker[PREV];
121  nxt = worker[NEXT];
122  jstart = worker[JSTART];
123  jend = worker[JEND];
124
125  MPI_B
126  /*
127  MPI_Barrier(MPI_Comm) int
128  /*
129  MPI_Bcast(void*, int, MPI_Datatype, int, MPI_
130  MPI_Bsend_init(void*, int, MPI_Datatype, int,
131  MPI_Buffer_attach(void*, int) int
132  MPI_Buffer_detach(void*, int*) int
    
```

```

124
125  MPI_Barrier(MPI_COMM_WORLD);
126
    
```



Barrier Errors (2)



- ✦ Save the file
 - ✦ Ctl-S (Mac Command-S) or File > Save
 - ✦ Tab should lose asterisk indicating file saved



- ✦ Run barrier analysis on shallow project again
 - ✦ Select shallow project in Project Explorer first




Module 3

3-52

Barrier Errors (3)



- ✦ Barrier Error is found
- ✦ Hit OK to dismiss dialog



- ✦ Code diverges on line 87
 - ✦ One path has 2 barriers, other has 1

Barrier Matching Set	Function	Filename	LineNo	IndexNo
▼ Error	main	main.c	87	0
/// Path 1 (2 barrier(s))			0	0
/// Barrier 1	main	main.c	89	1
/// Barrier 3	worker	worker.c	125	3
/// Path 2 (1 barrier(s))			0	0
/// Barrier 2	main	main.c	206	2

Double-click on a row in Barrier Errors view to find the line it references in the code

Module 3

3-53

Fix Barrier Error



- ✦ Fix the Barrier Error before continuing
- ✦ Double-click on the barrier in worker.c to quickly navigate to it
- ✦ Remove the line and save the file

The screenshot shows a code editor with two files: worker.c and main.c. In worker.c, line 104 contains the code `MPI_Barrier(MPI_COMM_WORLD);`. Below the code, there is a table titled 'MPI Barrier Errors' with the following data:

Barrier Matching Set	Function	Filename	LineNo	IndexNo
/// Error	main	main.c	87	0
/// Path 1 (2 barrier(s))				
/// Barrier 1	main	main.c	87	1
/// Barrier 3	worker	worker.c	104	3
/// Path 2 (1 barrier(s))				
/// Barrier 2	main	main.c	206	2

Right mouse on worker.c in Project Explorer and do **Replace With > Latest from HEAD**

The screenshot shows a context menu with the following items:

- Team
- Compare With
- Replace With
- Run C/C++ Code Analysis
- Properties

The 'Replace With' sub-menu is open, showing the following options:

- Latest from HEAD
- Another Branch or Version...
- History...
- Previous from Local History

Remove Barrier Markers



- ✦ Run Barrier Analysis again to remove the error - and/or -
- ✦ Remove the Barrier Markers via the “X” in one of the MPI Barrier views

The screenshot shows the 'MPI Barrier Errors' window. The table contains the following data:

Barrier Matching Set	Function	Filename	LineNo
/// Error	main	main.c	87

The window title bar has a circled 'X' button, indicating the close action.

Synchronizing the Project


Synchronizing the Project

- ✦ Because we will be running on a remote system, we must also build on that system
- ✦ Source files must be available to build
- ✦ We will use a synchronized project to do this
 - ✦ Only needs to be done once for each project
 - ✦ A synchronized project could have been created initially
- ✦ Files are synchronized automatically when they are saved
- ✦ A full synchronize is also performed prior to a build



Converting To Synchronized

- ✦ Select **File>New>Other...**
- ✦ Open the Remote folder
- ✦ Select **Convert C/C++ or Fortran Project to a Synchronized Project**
- ✦ Click **Next>**




Module 3

3-58



Convert Projects Wizard

- ✦ Select checkbox next to shallow
- ✦ For **Connection:**, click on **New...**
Enter as directed:
 - ✦ **Target name**
 - ✦ **Host** name of remote system
 - ✦ **User id** and **Password**
- ✦ Click **Finish** to close it
- ✦ Back in the **Convert Projects** dialog,
- ✦ Enter a directory name in the **Location** field; select **Browse...**
 - ✦ Sample: /u/ac/trainXX/shallow
 - ✦ Project files will be copied under this directory
- ✦ Click **Finish**




Module 3

3-59

Synchronized Project



- ✦ Back in the Project Explorer, decorator on project icon indicates synchronized project
- ✦ Double-+ icon



- ✦ Before sync

▼ shallow [dev.eclipse.org]

- ✦ After sync

▼ shallow [dev.eclipse.org]


Set Active Build Configuration



- ✦ The Active build configuration determines which system will be used for both synchronizing and building
- ✦ Right-click on the project and select **Build Configurations>Set Active>Remote (Build on remote machine)**



- ✦ The project should synchronize immediately




Building the Project


Module 3


3-62


Building the Project



- ✦ Select the project in Project Explorer, click on the  hammer button to run the build



- ✦ By default, the Build Configuration assumes there is a Makefile (or makefile) for the project
- ✦ In this case, there is no Makefile, so the build will fail. See Console: 
- ✦ We'll see how to change it if the build command is different from 'make -f Makefile'




Module 3

3-63

Fixing the Build Command: Editing Project Properties



- ✦ The build command is specified in the project properties
- ✦ Open the properties by right-clicking on `shallow` and selecting **Properties** (bottom of the context menu list)
- ✦ Click on **C/C++ Build**
- ✦ Uncheck **Use default build command**
- ✦ Enter `make -f Makefile.mk` in the **Build Command** field
- ✦ Click **OK** to close project properties dialog




Module 3

3-64

Re-Building the Project



- ✦ Click on the  button again to run the build
- ✦ Build output will be shown in the **Console** view

```

CDT Build Console [shallow]
main.c:97: error: syntax error before ':' token
main.c:97: error: syntax error before ')' token
main.c: At top level:
main.c:212: error: syntax error before "return"
make: *** [main.o] Error 1

**** Build Finished ****
  
```

- ✦ Exact output depends on your compiler

Module 3

3-65


Build Problems



- Build problems will be shown in a variety of ways

- Marker on file
- Marker on editor line
- Line is highlighted
- Marker on overview ruler
- Listed in the **Problems view**


- Double-click on line in **Problems view** to go to location of error in the editor



Fix Build Problems




- Fix errors by changing ‘:’ to ‘;’ on line 97
- Save the file
- Rebuild by pressing build button
- Error markers have been removed
- Check console for correct build output



Forcing a Rebuild



- ✦ If no changes have been made, make doesn't think a build is needed
- ✦ In Project Explorer, Rightmouse on project, select **Clean Project**



```

Problems Tasks Console
CDT Build Console [shallow]
make -f Makefile.mk all
make: Nothing to be done for `all'.
  
```

- ✦ See console

```

Problems Tasks Console
CDT Build Console [shallow]

**** Clean-only build of configurat
make -f Makefile.mk clean
rm -f shallow calc.o copy.o diag.o
  
```

- ✦ Then rebuild

Running the Program

Resource Managers

Running the Program

- ✦ Creating a resource manager
- ✦ Starting the resource manager
- ✦ Creating a run configuration
- ✦ Running (launching) the application
- ✦ Viewing the application run



Do this
once

Much of the following setup is configuration that you only need to do once: This icon will remind you.

Resource Managers

- ✦ PTP uses the term “resource manager” to refer to any subsystem that controls the resources required for launching a parallel job.
- ✦ Examples:
 - ✦ Batch scheduler (e.g. LoadLeveler, PBS, SLURM)
 - ✦ Interactive execution (e.g. Open MPI, MPICH2, etc.)
- ✦ Each resource manager controls one target system
- ✦ Resource Managers can be local or remote

Monitoring/Runtime Perspectives

- ✦ Parallel Runtime Perspective
 - ✦ Used for legacy PTP Resource Managers
- ✦ System Monitoring Perspective
 - ✦ Used for newer Configurable Resource Managers (since PTP 5.0)
- ✦ Which one is used?

Resource Manager	System Monitoring	Parallel Runtime
IBM LoadLeveler		✓
IBM Parallel Env		✓
MPICH2		✓
Open MPI		✓
PBS-Batch-Generic	✓	
PBS-Batch-Interactive	✓	
Remote Launch		✓
SLURM		✓


Module 3

3-72

Preparing to Launch



- ✦ Setting up a resource manager is done in the System Monitoring perspective
 - ✦ (For PTP 5.0, this applies to PBS)
- ✦ Select **Window>Open Perspective>Other...**
- ✦ Choose **System Monitoring** and click **OK**



Module 3

3-73


System Monitoring Perspective

✦ System view

✦ Jobs running on system

✦ Active jobs

✦ Inactive jobs



About PTP Icons




✦ Open using legend icon in toolbar



Configuring Job Scheduler




- ✦ Right-click in Resource Managers view and select **Add Resource Manager**



Do this once

- ✦ Choose Resource Manager Type:
edu.illinois.ncsa.forge
.pbs.batch.openmpi



- ✦ Select **Next>**

Module 3

3-76


Configure Control Connection



- ✦ Choose **Remote Tools** for **Remote service provider**
- ✦ Choose the remote connection you made previously
- ✦ Click **Next>**



Do this once



Module 3

3-77

Configure Monitor Connection



- ✦ Keep default Monitor Connection (same as Control Connection), click **Next**



Do this once

Module 3

3-78

Common Configuration



- ✦ Keep default name
- ✦ Can automatically start Resource Manager (leave unselected today)
- ✦ Click **Finish**



Do this once


Module 3

3-79

Starting the Resource Manager



- ✦ Right click on new resource manager and select **Start resource manager**
- ✦ If everything is ok, you should see the resource manager change to green
- ✦ If something goes wrong, it will change to red




Module 3

3-80

System Monitoring



- ✦ **System** view, with abstraction of nodes for selected Resource Manager
- ✦ Active and inactive jobs
- ✦ Hover over node in **System** view to see job running on node in **Active Jobs** view
- ✦ Hold mouse button down on a job in **Active Jobs** view to see where it is running in **System** view



One node with 16 cores

Module 3

3-81


Running the Program


(Launching a Job)

Module 3


3-82

Create a Run Configuration



- ✦ Open the run configuration dialog **Run Configurations...**
- ✦ Select **Parallel Application**
- ✦ Select the **New** button 

Or, just double-click on **Parallel Application** to create a new one




Depending on which flavor of Eclipse you installed, you might have more choices in Application types

Note: we sometimes interchange the terms "Run Configuration" and "Launch Configuration"


Module 3

3-83


Complete the Resources Tab




- ✦ Enter a name for this run configuration, e.g. “shallow-pbs-batch”
- ✦ In **Resources** tab, select the PBS resource manager you just created (edu.illinois.ncsa.forge....)
- ✦ Select the destination queue – **debug**
- ✦ The **MPI Command** field allows this job to be run as an MPI job
 - ✦ Choose **mpirun**
- ✦ Enter the resources needed to run this job
 - ✦ Use 1 nodes, 4 cores (MPI tasks)



Complete the Application Tab





- ✦ Select the **Application** tab
- ✦ Choose the **Application program** by clicking the **Browse** button and locating the executable on the remote machine
 - ✦ Use the same “shallow” executable
- ✦ Select **Display output from all processes in a console view**
- ✦ Click **Run** to submit the application to the job scheduler






Job Monitoring

- ✦ Job initially appears in “Inactive Jobs”, then in “Active Jobs”, then returns to Inactive on completion
- ✦ This short-running program may not run long enough to appear in “Active Jobs”
- ✦ Status refreshes automatically every 60 sec Or force refresh with menu
- ✦ After status = COMPLETED, Can view output or error by right clicking on job, selecting appropriate output



Job Output

- ✦ After status = COMPLETED, Can view output or error by right clicking on job, selecting appropriate output
- ✦ Output/Error info shows in Console View



Building before Run




Do this once

- ✦ If projects build prior to launch, you can turn it off.

To bring up **Preferences** dialog, use Window>Preferences or Mac: Eclipse>Preferences

- ✦ Go into **Preferences>Run/Debug** and click on **Launching**.
- ✦ Uncheck "**Build (if required) before launching**"

- ✦ Should be set by default now



Exercise



- ✦ Start with your 'shallow' project
- ✦ Create and start Resource Manager
- ✦ Build; Run shallow
- ✦ See results
- ✦ Change something
 - ✦ Change m and n in decs.h
- ✦ Rebuild and re-run

Advanced Features

Searching Fortran Refactoring

Module 3

3-90

Searching

Module 3


3-91

Switching Perspectives




✦ Switch to C/C++ Perspective one of three ways:

1. Choose the **Window>Open Perspective** menu option
Then choose **Other...**
2. Click on the **Open Perspective** button in the upper right corner of screen (hover over it to see names)
3. Click on a perspective shortcut button



Find/Replace within Editor

- ✦ Simple Find within editor buffer
- ✦ Ctrl-F (Mac: Command-F)



Mark Occurrences

(C/C++ Only)

- ✦ Double-click on a variable in the CDT editor
- ✦ All occurrences in the source file are highlighted to make locating the variable easier
- ✦ Alt-shift-O to turn off (Mac: Alt-Command-O)

```

41 float ptot, ketot, etot, enstot, ptime, pmean;
42 int i, j, ip, jp;
43
44 ptot=0.; ketot=0.; etot=0.; enstot = 0.; pmean = 0.;
45 for (j = 0; j < n; j++) {
46   for (i = 0; i < m; i++) {
47     pmean = pmean+p[j][i];
48   }
49 }
50 pmean = pmean/(m*n);
51 for (j = 0; j < n; j++){
52   jp = (j+1) % n;
53   for (i = 0; i < m; i++){
54     ip = (i+1) % m;
55     ketot += p[j][i]*0.25*(u[j][ip]*u[j][ip]+u[j][i]*u[j][i]
56             +v[jp][i]*v[jp][i]+v[j][i]*v[j][i]);

```

Module 3

3-94

Language-Based Searching

(C/C++ and Fortran)

- ✦ “Knows” what things can be declared in each language (functions, variables, classes, modules, etc.)

- ✦ E.g., search for every call to a function whose name starts with “get”
- ✦ Search can be project- or workspace-wide

The image shows two instances of the IDE's Search dialog. The left dialog is for C/C++ search, showing options to search for functions, variables, and classes. The right dialog is for Fortran search, showing options to search for subroutines and modules. Arrows point from the list items to the corresponding search options in the dialog boxes.

Module 3

3-95


Find References

(C/C++ and Fortran)

- ✦ Finds all of the places where a variable, function, etc., is used
 - ✦ Right-click on an identifier in the editor
 - ✦ Click **References** or **References**




- ✦ **Search** view shows matches



Open Declaration

(C/C++ and Fortran)

- ✦ Jumps to the declaration of a variable, function, etc., even if it's in a different file
- ✦ Left-click to select identifier
- ✦ Right-click on identifier
- ✦ Click **Open Declaration**
- ✦ C/C++ only: Can also Ctrl-click (Mac: Cmd-click) on an identifier to “hyperlink” to its declaration



Goes to its declaration in copy.c

Search – Try It!




1. Find every call to `time` in `Shallow`.
2. In `worker.c`, on line 42, there is a declaration `float p[n][m]`.
 - a) What is `m` (local? global? function parameter?)
 - b) Where is `m` defined?
 - c) How many times is `m` used in the project?
3. Find every function whose name contains the word `time`

Fortran Specifics

Project Properties

- ✦ Right-click Project
- ✦ Select **Properties...**



Module 3

- ✦ *Project properties* are settings that can be changed for each project


- ✦ Contrast with *workspace preferences*, which are the same regardless of what project is being edited
 - ✦ e.g., editor colors
 - ✦ Set in **Window ► Preferences** (on Mac, **Eclipse ► Preferences**)
 - ✦ Careful! Dialog is very similar

3-100

Converting to a Fortran Project

- ✦ Are there categories labeled **Fortran General** and **Fortran Build** in the project properties?

No Fortran categories →



Do this once

- ✦ If not, the project is not a Fortran Project
 - ✦ Switch to the Fortran Perspective
 - ✦ In the Project Explorer view, right-click on the project, and click **Convert to Fortran Project**
 - ✦ Don't worry; it's still a C/C++ project, too
- ✦ *Every* Fortran project is also a C/C++ Project


Module 3

3-101

Project Location

- ✦ How to tell where a project resides?

- ✦ In the project properties dialog, select the **Resource** category




Module 3

3-102

Error Parsers

- ✦ Are compiler errors not appearing in the Problems view?
 - ✦ Make sure the correct *error parser* is enabled
 - ✦ In the project properties, navigate to **C++ Build** ► **Settings** or **Fortran Build** ► **Settings**
 - ✦ Switch to the **Error Parsers** tab
 - ✦ Check the error parser(s) for your compiler(s)



Module 3

3-103

Fortran Source Form Settings


- ✦ Fortran files are either *free form* or *fixed form*; some Fortran files are *preprocessed* (#define, #ifdef, etc.)
 - ✦ Source form determined by filename extension
 - ✦ Defaults are similar to most Fortran compilers:

Fixed form:	.f	.fix	.for	.fpp	.ftn	.f77	
Free form:	.f08	.f03	.f95	.f90			< unpreprocessed
	.F08	.F03	.F95	.F90			< preprocessed
- ✦ Many features *will not work* if filename extensions are associated with the wrong source form (outline view, content assist, search, refactorings, etc.)

Fortran Source Form Settings




- ✦ In the project properties, select **Fortran General** ▶ **Source Form**
- ✦ Select source form for each filename extension
- ✦ Click **OK**



Enabling Fortran Advanced Features

- ✦ Some Fortran features are **disabled** by default
- ✦ Must be explicitly enabled
 - ✦ In the project properties dialog, select **Fortran General ▶ Analysis/Refactoring**
 - ✦ Click **Enable Analysis/Refactoring**
 - ✦ Close and re-open any Fortran editors
- ✦ This turns on the “Photran Indexer”
 - ✦ Turn it off if it’s slow



Project Properties – Try It!



1. Convert shallow to a Fortran project
2. Make sure errors from the GNU Fortran compiler will be recognized
3. Make sure *.f90 files are treated as “Free Form” which is unpreprocessed
4. Make sure search and refactoring will work in Fortran

Advanced Editing

Code Templates

Module 3

3-108

Code Templates

(C/C++ and Fortran)

- ✦ Auto-complete common code patterns
 - ✦ For loops/do loops, if constructs, etc.
 - ✦ Also MPI code templates
- ✦ Included with content assist proposals (when **Ctrl-Space** is pressed)
 - ✦ E.g., after the last line in tstep.f90, type “sub” and press **Ctrl-Space**
 - ✦ Press **Enter** to insert the template

```

.h decs.h | .c init.c | .f *tstep.f90
86     end do
87 end subroutine
88
89 sub
90     subroutine...end subroutine - Subroutine (lower case)
91
  
```


Module 3

3-109

Code Templates (2)

(C/C++ and Fortran)

- ✦ After pressing enter to insert the code template, completion fields are highlighted



```
decs.h  init.c  *tstep.f90 X
... 1 ... 2 ... 3 ...
88
89 subroutine name(parameters)
90
91 end subroutine name
92
```

- ✦ Press **Tab** to move between completion fields
- ✦ Changing one instance of a field changes all occurrences

Advanced Editing – Try It!




- ✦ Open tstep.f90 and retype the last loop nest
 - ✦ Use the code template to complete the do-loops
 - ✦ Use content assist to complete variable names

Custom Code Templates

(Fortran)

- ✦ Customize code templates in **Window ▶ Preferences ▶ Fortran ▶ Templates**



- ✦ Can import/export templates to XML files

Module 3

3-112

Refactoring and Transformation

Module 3

3-113

Refactoring

(making changes to source code that don't affect the behavior of the program)

- ✦ Refactoring is the research motivation for Photran @ Illinois
 - ✦ Illinois is a leader in refactoring research
 - ✦ “Refactoring” was coined in our group (Opdyke & Johnson, 1990)
 - ✦ We had the first dissertation... (Opdyke, 1992)
 - ✦ ...and built the first refactoring tool... (Roberts, Brant, & Johnson, 1997)
 - ✦ ...and first supported the C preprocessor (Garrido, 2005)
 - ✦ Photran's agenda: refactorings for HPC, language evolution, refactoring framework
- ✦ Photran 7.0: 31 refactorings

Module 3

3-114

Refactoring Caveats

✦ Photran can only refactor free form code that is preprocessed

✦ Determined by Source Form settings

(recall from earlier that these are configured in

Project Properties: Fortran General ▶ Source Form)

<input checked="" type="checkbox"/>	Free Form, Unpreprocessed:	.f08	.f03	.f95	.f90
<input checked="" type="checkbox"/>	Free Form, Preprocessed:	.F08	.F03	.F95	.F90
<input checked="" type="checkbox"/>	Fixed Form:	.f	.fix	.for	.fpp .ftn .f77

✦ Refactor menu will be empty if

✦ Refactoring not enabled in project properties

(recall from earlier that it is enabled in

Project Properties: Fortran General ▶ Analysis/Refactoring)

✦ The file in the active editor is fixed form

✦ The file in the active editor is preprocessed


Module 3

3-115

Rename Refactoring

(also available in Fortran)

- ✦ Changes the name of a variable, function, etc., *including every use*
(change is semantic, not textual, and can be workspace-wide)
- ✦ Only proceeds if the new name will be legal
(aware of scoping rules, namespaces, etc.)



In Java (Murphy-Hill et al., ICSE 2008):

Refactoring	Uses	Percentage
Rename	179,871	74.8%
Extract Local Variable	13,523	5.6%
Move	13,208	5.5%
Extract Method	10,581	4.4%
Change Method Signature	4,764	2.0%
Inline	4,102	1.7%
Extract Constant	3,363	1.4%
(16 Other Refactorings)	10,924	4.5%

Module 3

- ✦ Switch to C/C++ Perspective
- ✦ Open a source file
- ✦ In the editor, click on a variable or function name
- ✦ Select menu item **Refactor ▶ Rename**
✦ Or use context menu
- ✦ Enter new name

3-116

Rename in File

(C/C++ Only)

- ✦ Position the caret over an identifier.
- ✦ Press **Ctrl-1** (**Command-1** on Mac).
- ✦ Enter a new name. Changes are propagated within the file as you type.

```

c worker.c
306 time_unload(prv,nxt,tu_my_id,
307     int prv;
308     int nxt;
309     int tu_my_id;
310     int jstart;
311     int jend;
312     float dvdt[n][m];
313 {
314     neighbour_send(nxt, tu_my.
315     neighbour_receive(prv, tu.
316 }
317
318 /*
319 this is a general purpose fun
320 */
321 neighbour_send(ns_neighbour,n:
322     int ns_neighbour;
323     int ns_my_id;
324     int ns_rec_id;

```


Module 3

3-117

Extract Function Refactoring

(also available in Fortran - "Extract Procedure")

- ✦ Moves statements into a new function, replacing the statements with a call to that function
- ✦ Local variables are passed as arguments




- ✦ Select a sequence of statements
- ✦ Select menu item **Refactor** ▶ **Extract Function...**
- ✦ Enter new name

Module 3

3-118

Introduce IMPLICIT NONE Refactoring

- ✦ Fortran does not require variable declarations (by default, names starting with I-N are integer variables; others are reals)
- ✦ This adds an IMPLICIT NONE statement and adds explicit variable declarations for all implicitly declared variables



- ✦ Introduce in a single file by opening the file and selecting **Refactor** ▶ **Coding Style** ▶ **Introduce IMPLICIT NONE...**
- ✦ Introduce in multiple files by selecting them in the Project Explorer view, right-clicking on the selection, and choosing **Refactor** ▶ **Coding Style** ▶ **Introduce IMPLICIT NONE...**


Module 3

3-119

Loop Transformations

(Fortran only)

- ✦ **Interchange Loops** **CAUTION:** No check for behavior preservation
 - ✦ Swaps the loop headers in a two-loop nest
 - ✦ Select the loop nest, click menu item **Interchange Loops (Unchecked)...**



Old version traverses matrices in row-major order

New version traverses in column-major order (better cache performance)

Module 3

3-120

Loop Transformations


(Fortran only)

- ✦ **Unroll Loop**
- ✦ Select a loop, click **Refactor** ▶ **Do Loop** ▶ **Unroll Loop...**

```
do i = 1, 12
  print *, 10*i
end do
```

↓ Unroll 4x

```
do i = 1, 12, 4
  print *, 10*i
  print *, 10*(i+1)
  print *, 10*(i+2)
  print *, 10*(i+3)
end do
```



Module 3

3-121

Refactoring & Transformation – Try It!



In `tstep.f90`...

1. In `init.c`, extract the `printf` statements at the bottom of the file into a new function called `print_banner`
2. In `worker.c`, change the spellings of `neighbour_send` and `neighbour_receive` to American English
3. In `tstep.f90`, make the (Fortran) `tstep` subroutine `IMPLICIT NONE`

Module 4: Other Tools and Wrap-up

✦ Objective

- ✦ How to find more information on PTP
- ✦ Learn about other tools related to PTP
- ✦ See PTP upcoming features

✦ Contents

- ✦ Links to other tools, including performance tools
- ✦ Planned features for new versions of PTP
- ✦ Additional documentation
- ✦ How to get involved



NCSA Blue Waters HPC Workbench

- ✦ Tools for NCSA Blue Waters
 - ✦ <http://www.ncsa.illinois.edu/BlueWaters/>
 - ✦ Sustained Petaflop system
- ✦ Based on Eclipse and PTP
- ✦ Includes some related tools
 - ✦ Performance tools
 - ✦ Workflow tools (<https://wiki.ncsa.uiuc.edu/display/MRDPUB/MRD+Public+Space+Home+Page>)
- ✦ Part of the enhanced computational environment described at:
<http://www.ncsa.illinois.edu/BlueWaters/ece.html>





NSF SI2 Workbench for High Performance Computing

- ✦ “
for HPC Applications”, which is supported by the National Science Foundation under award number OCI 1047956
- ✦ Produce a productive and accessible development workbench using Eclipse PTP
- ✦ Key Components
 - ✦ Determining Requirements, Ensuring Impact
 - ✦ Make improvements to Eclipse PTP
 - ✦ Engineering Process
 - ✦ Metrics
 - ✦ Outreach/Training/Education


Coding & Analysis
(C/C++, Fortran)

NCSA HPC Workbench


PTP
Launching & Monitoring



Workflow



Performance Tuning



Parallel Debugger

Module 4

4-3

Planned PTP Future Work

- ✦ Scalability improvements
 - ✦ UI to support 1M processes
 - ✦ Very large application support
- ✦ Usability improvements
 - ✦ New wizard to improve setup experience
 - ✦ Ability to share configuration information
- ✦ Resource Managers
 - ✦ More implementations of configurable resource managers
- ✦ Synchronized project improvements
 - ✦ Conversion wizard
 - ✦ Resolving merge conflicts

Useful Eclipse Tools

- ✦ Linux Tools (autotools, valgrind, Oprofile, Gprof)
 - ✦ <http://eclipse.org/linuxtools>
- ✦ Python
 - ✦ <http://pydev.org>
- ✦ Ruby
 - ✦ <http://www.apтана.com/products/radrails>
- ✦ Perl
 - ✦ <http://www.epic-ide.org>
- ✦ Git
 - ✦ <http://www.eclipse.org/egit>
- ✦ VI bindings
 - ✦ Vrapper (open source) - <http://vrupper.sourceforge.net>
 - ✦ viPlugin (commercial) - <http://www.viplugin.com>

Online Information

- ✦ Information about PTP
 - ✦ Main web site for downloads, documentation, etc.
 - ✦ <http://eclipse.org/ptp>
 - ✦ Wiki for designs, planning, meetings, etc.
 - ✦ <http://wiki.eclipse.org/PTP>
 - ✦ Articles and other documents
 - ✦ <http://wiki.eclipse.org/PTP/articles>
- ✦ Information about Photran
 - ✦ Main web site for downloads, documentation, etc.
 - ✦ <http://eclipse.org/photran>
 - ✦ User's manuals
 - ✦ <http://wiki.eclipse.org/PTP/photran/documentation>

Mailing Lists

- ✦ PTP Mailing lists
 - ✦ Major announcements (new releases, etc.) - low volume
 - ✦ <http://dev.eclipse.org/mailman/listinfo/ptp-announce>
 - ✦ User discussion and queries - medium volume
 - ✦ <http://dev.eclipse.org/mailman/listinfo/ptp-user>
 - ✦ Developer discussions - high volume
 - ✦ <http://dev.eclipse.org/mailman/listinfo/ptp-dev>
- ✦ Photran Mailing lists
 - ✦ User discussion and queries
 - ✦ <http://dev.eclipse.org/mailman/listinfo/photran>
 - ✦ Developer discussions –
 - ✦ Also on ptp-dev list (see above)

Getting Involved

- ✦ See <http://eclipse.org/ptp>
- ✦ Read the developer documentation on the wiki
 - ✦ <http://wiki.eclipse.org/PTP>
- ✦ Join the mailing lists
- ✦ Attend the monthly developer meetings
 - ✦ Conf Call Monthly: Second Tuesday, 1:00 pm ET
 - ✦ Details on the PTP wiki
- ✦ Attend the monthly user meetings
 - ✦ Teleconf Monthly: 4th Wednesday, 1:00 pm ET
 - ✦ Details on the PTP wiki

PTP will only succeed with your participation!